

# Research Bank Journal article

A battery of strength tests for evidence-based classification in Para swimming

Hogarth, Luke, Nicholson, Vaughan, Spathis, Jemima, Tweedy, Sean, Beckman, Emma, Connick, Mark, van de Vliet, Peter, Payton, Carl and Burkett, Brendan

This is an Accepted Manuscript version of the following article, accepted for publication in *Journal of Sports Sciences*.

Hogarth, L., Nicholson, V., Spathis, J., Tweedy, S., Beckman, E., Connick, M., van de Vliet, P., Payton, C. and Burkett, B. (2019). A battery of strength tests for evidencebased classification in Para swimming. *Journal of Sports Sciences*, 37(4), pp. 404-413. <u>https://doi.org/10.1080/02640414.2018.1504606.</u>

It is deposited under the terms of the <u>Creative Commons Attribution-NonCommercial-NoDerivatives License</u>, which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited, and is not altered, transformed, or built upon in any way.

# A BATTERY OF STRENGTH TESTS FOR EVIDENCE-BASED CLASSIFICATION IN PARA SWIMMING

Luke Hogarth<sup>1</sup>, Vaughan Nicholson<sup>2</sup>, Jemima Spathis<sup>3</sup>, Sean Tweedy<sup>4</sup>, Emma Beckman<sup>4</sup>, Mark Connick<sup>4</sup>, Peter Van de Vliet<sup>5</sup>, Carl Payton<sup>6</sup>, Brendan Burkett<sup>1</sup>.

<sup>1</sup>School of Health and Sport Sciences, University of the Sunshine Coast, Sippy Downs, Australia.

<sup>2</sup> School of Physiotherapy, Australian Catholic University, Brisbane, Australia.

<sup>3</sup> School of Exercise Science, Australian Catholic University, Brisbane, Australia.

<sup>4</sup> School of Human Movement and Nutrition Sciences, University of Queensland, St Lucia, Queensland, Australia.

<sup>5</sup> Medical and Scientific Department, International Paralympic Committee, Bonn, Germany.

<sup>6</sup> HEAL Research Centre, Manchester Metropolitan University, Crewe, United Kingdom.

Running title: Strength impairment in Para swimming

Key words: disability, Paralympics, cerebral palsy, spinal cord injury, validity, reliability.

Abstract word count:	200
Text-only word count:	5018
Tables and/or figures:	5
Supplementary tables:	2

## **Corresponding Author:**

Luke Hogarth School of Health and Sport Sciences, University of the Sunshine Coast, Sippy Downs, Queensland, Australia Postal address: Locked Bag 4, Maroochydore DC QLD 4558 Telephone: +61 7 5456 5065 Email: lhogarth@usc.edu.au

## Acknowledgements:

The authors would like to thank the participants for volunteering their time for this study. Also, the authors would like to acknowledge Jayden Lowrie, Samantha Yardy-Phelan, Hannah Jarvis and Ana Maia for their assistance in data collection. This research was supported by the International Paralympic Committee (IPC), UK Sport, Exercise & Sports Science Australia (Applied Sports Science Research Grant), and the University of the Sunshine Coast (Faculty Research Initiatives Grants Scheme). Mark Connick, Emma Beckman and Sean Tweedy are members of the IPC Classification Research and Development Centre (Physical Impairments), which is supported by the International Paralympic Committee. 1

2

# A BATTERY OF STRENGTH TESTS FOR EVIDENCE-BASED CLASSIFICATION IN PARA

SWIMMING

3	ABSTRACT
4	This study examined the validity of isometric strength tests for evidence-based classification
5	in Para swimming. Thirty non-disabled participants and forty-two Para swimmers with
6	physical impairment completed an isometric strength test battery designed to explain
7	activity limitation in the freestyle discipline. Measures pertaining to dominant and non-
8	dominant limb strength and symmetry were derived from four strength tests that were
9	found to be reliable in a cohort of non-disabled participants (ICC = 0.85-0.97; CV = 6.4-9.1%).
10	Para swimmers had lower scores in strength tests compared with non-disabled participants
11	(d = 0.14-1.00) and the strength test battery successfully classified 95% of Para swimmers
12	with physical impairment using random forest algorithm. Most of the strength measures had
13	low to moderate correlations (r = 0.32 to 0.53; $p \le 0.05$ ) with maximal freestyle swim speed
14	in the cohort of para swimmers. Although, fewer correlations were found for both groups
15	when Para swimmers with hypertonia or impaired muscle power were analysed
16	independently, highlighting the impairment-specific nature of activity limitation in Para
17	swimming. Collectively, the strength test battery has utility in Para swimming classification
18	to infer loss of strength in Para swimmers, guide minimum eligibility criteria, and to define
19	the impact that strength impairment has on Para swimming performance.

#### 20 INTRODUCTION

21 Classification plays an integral role in Paralympic sport and aims to promote increased 22 participation in sport by people with disabilities by minimising the impact that impairment 23 has on the competition outcome. Para swimming, one of the most popular Paralympic sports, 24 uses a functional classification system to group athletes with an eligible physical impairment. 25 Unfortunately, studies have shown current classification methods fail to delineate 26 performance between some classes and disadvantage athletes with certain types of physical 27 impairment within classes (Burkett et al., 2018; Daly & Vanlandewijck, 1999; Wu & Williams, 28 1999). The shortcomings of the current classification system may result, at least in part, from 29 issues with measurement weighting and aggregation stemming from a lack of understanding 30 of the relationship between impairment and swimming performance (Tweedy, Beckman, & 31 Connick, 2014). World Para swimming have mandated that research be conducted to provide 32 the scientific evidence to underpin a new classification system in Para swimming (International Paralympic Committee, 2015). 33

34 A key step towards evidence-based classification systems in Para sport is developing valid 35 tests of impairment and establishing their relationship with sports performance. It is 36 important to note that these tests do not directly measure impairment, but infer impairment 37 based on knowledge of intact, unimpaired body structures and functions (Tweedy, Mann, & 38 Vanlandewijck, 2016). Their purpose is to describe Para athletes' type, location and severity 39 of impairment to estimate their subsequent activity limitation for a given sporting event. The 40 International Paralympic Committee (IPC) Position Stand stipulates that valid impairment 41 tests will have several measurement properties (Tweedy & Vanlandewijck, 2011). These 42 include impairment tests being precise and reliable, ratio-scaled, specific to the impairment 43 of interest, quantitative, account for a significant portion of variance in performance, and as 44 training resistant as possible.

45 Muscular strength and power are key determinants of success in competitive swimming and 46 their importance to propulsion during swimming is widely accepted (Crowley, Harrison & 47 Lyons, 2017; Loturco et al., 2016). Para swimmers with health conditions such as spinal cord 48 injury, cerebral palsy and Charcot-Marie-Tooth disease have impairments to the central and 49 peripheral nervous systems, musculoskeletal system or links between these structures, that 50 result in loss of muscular strength and power and affect their swimming performance 51 (Dingley, Pyne, & Burkett, 2014; Dingley, Pyne, Youngson & Burkett, 2015; Morouco et al., 52 2011). Classifying strength impairment of Para swimmers with motor-complete spinal cord 53 injury is relatively straightforward as these athletes have a non-progressive loss of voluntary 54 motor control that corresponds to the level of lesion (Connick et al., 2018). Other progressive 55 and non-progressive medical conditions such as cerebral palsy, motor-incomplete spinal cord 56 injury, polio, and Charcot-Marie-Tooth disease have inconsistent clinical manifestations. 57 Para swimmers with these conditions have loss of voluntary motor control that varies 58 considerably for the severity of impairment and its presentation in the trunk, and upper and 59 lower limb extremities.

60 Manual Muscle Testing (MMT) techniques are currently used to assess the severity and 61 location of impairment by subjectively inferring swimmers' loss of strength by rating whether 62 they can produce what is termed 'normal' resistance around joints (International Paralympic 63 Committee, 2017). Although having several advantages, including being easy to administer, 64 widely utilised in clinical practice and inexpensive, MMT techniques lack key measurement properties required for evidence-based classification. Inter- and intra-tester reliability is poor 65 66 due to the subjective assessment of muscle strength and the ordinal measures derived from 67 MMT are limited in defining their relationship with sporting performance (Beckman, Connick, 68 & Tweedy, 2017; Bohannon, 2005).

69 Guidelines have recently been published for the development of instrumented tests of 70 muscle strength for the purposes of classification (Beckman, Connick & Tweedy, 2017). The 71 key recommendations were to develop isometric measures of muscle strength that assess 72 Para athletes' force generating capacity in multi-joint positions that are standardised and 73 specific to the sport of interest. Such tests will provide the most valid measures for inferring 74 loss of muscle strength for classification as they determine the maximal force generating 75 capacity of a muscle or muscle group (Cormie, McGuigan, & Newton, 2011), are more likely 76 to be resistant to training than dynamic muscular strength and power tests that typically 77 have greater specificity to athletic performance (Beckman et al., 2017; Loturco et al., 2016), 78 and might have strong and meaningful associations with sports performance in Para athletes 79 with strength impairment (Beckman, Conncik & Tweedy, 2016; Hyde et al., 2017).

80 As isometric strength tests are limited in assessing muscular strength through full range of 81 motion, important steps in developing tests for classification include identifying the principal 82 muscle groups and actions that are involved in the sport (Beckman et al., 2017; Burkett et al., 83 2017). Most studies in able-bodied swimmers have investigated front crawl swimming and 84 have reported the latissimus dorsi, pectoralis major, and teres minor play important roles in 85 stabilising and mobilising the shoulder into extension and adduction during the early and late 86 underwater pull phases that are primarily responsible for propulsion (Amaro, Morouco, 87 Marques, Fernandes & Marinho, 2017; Martens, Figueiredo & Daly, 2015). Agonist 88 antagonist activity of muscles of the elbow joint (i.e. biceps brachii and triceps brachii) and 89 wrist joint (i.e. brachioradialis, flexor carpi ulnaris, and extensor carpi ulnaris) stabilise the 90 forearm and hand to overcome water drag during these propulsive actions (Martens et al., 91 2015).

Although the lower limb extremity contributes less to propulsion and swim velocity in front
crawl than the upper limb extremity (Amaro et al., 2017; Bartolomeu, Costa & Barbosa, 2018),

4

94 the quadriceps and hamstring muscle groups mobilise the hip and knee joints to generate 95 drag and lift forces in coordination with the arm stroke (Bartolomeu et al., 2018; Martens et 96 al., 2015; Morouco, Marinho, Izquierdo, Neiva & Marques, 2015). Strength impairments in 97 the lower limb extremity might have increased importance in the lower sport classes where 98 drag is more important in discriminating between performances (Oh, Burkett, Osborough, 99 Formosa & Payton, 2013), due to the role that the leg kick plays in stabilising the body and 100 generating lift forces that allow swimmers to maintain streamlined body positions (Amaro et 101 al., 2017; Bartolomeu et al., 2018; Psycharakis & Sanders, 2010). Lower body muscular 102 strength and power are also key determinants of starts and turns performance with the 103 gluteus maximus and triceps surae contributing to joint torque during hip extension and 104 plantar flexion, respectively, to generate propulsive actions during certain components of a 105 swim race (Jones, Pyne, Haff & Newton, 2018; Morouco, Marinho, Amaro, Perez-Turpin & 106 Marques, 2012).

107 This study presents isometric strength tests that have been designed to infer loss of muscular 108 strength in the upper and lower limb extremities for evidence-based Para swimming 109 classification. The aims were to: (i) examine the predictive validity of isometric strength tests 110 to discriminate between non-disabled participants and Para swimmers with physical 111 impairments, (ii) establish the strength of association between isometric strength tests and 112 freestyle swim performance in Para swimmers with strength impairments, and (iii) establish 113 the test-retest reliability of isometric strength tests in non-disabled participants. Isometric 114 strength tests might have utility in Para swimming classification if they discriminate Para 115 swimmers with strength impairment from non-disabled participants, have meaningful 116 associations with swimming performance in Para swimmers, and are found to be reliable.

117

118 METHODS

#### 119 Participants

120 Data were collected from 72 participants including Para swimmers and non-disabled 121 participants (Table 1). Para swimmers had an eligible physical impairment resulting in loss of 122 muscle power. They had received national or international classification, were undertaking 123 planned training regimes and competing at a national or international level. Non-disabled 124 participants were recruited from University of the Sunshine Coast, Australia or Manchester 125 Metropolitan University, United Kingdom. They were between the ages of 18 and 35 years 126 of age, apparently healthy and recreationally active (undertaking planned exercise, training 127 or sport at least twice a week for a minimum total of 80 minutes). These eligibility criteria 128 were established to recruit a convenient sample of non-disabled participants with a wide 129 range of activity backgrounds. Such a cohort was considered advantageous when examining 130 the predictive validity of strength tests to identify participants with and without physical 131 impairment. All participants gave their written informed consent to participate in this study 132 under approved ethical guidelines (A/16/892).

133 Design

134 Isometric strength tests were developed by the research team consisting of experts in 135 evidence-based classification and Para swimming sport science. Tests were designed to 136 explain activity limitation in the freestyle discipline. They went through a development 137 process that included consultation with a panel of coaches, Para swimmers, classifiers, 138 administrators and sport science and medicine personnel, and were piloted in individuals 139 with disabilities. Para swimmers completed the test battery during organised data collection 140 events within Europe and Australia. They completed physical impairment and swimming-141 specific assessments around their training schedules during these events. Non-disabled 142 participants and Para swimmers attended at least one 90-minute session where they 143 undertook the finalised test battery comprising four strength tests. Para swimmers also

144 attended a separate 30-minute session where their maximal freestyle swim performance 145 was assessed. Non-disabled participants were asked to maintain their usual exercise or 146 training regimes throughout their involvement in the study. Fifteen non-disabled 147 participants repeated the test battery within a week to examine the test-retest reliability of 148 strength tests.

#### 149 **Experimental procedures**

150 Participants completed a questionnaire regarding demographics, their typical training 151 regime (type and frequency of training), and training activity on the day of testing. Para 152 swimmers also provided information pertaining to their training experience, competition 153 standard attained, current sport class, and type of physical impairment. These data were 154 verified against information attained from classification records listed in the IPC Sports Data 155 Management System (https://db.ipc-services.org/sdms). Participants' stature and body 156 mass were recorded prior to the strength tests. Stature was estimated from sitting height 157 recorded from a custom-built chair for Para swimmers with no or poor locomotor ability. 158 Ratios of sitting height to standing height available in the World Para swimming Classification 159 Manual were used for estimations (International Paralympic Committee, 2017).

160 The order of the strength tests was randomised. All participants undertook the test battery 161 under the instruction and supervision of the principal researcher. Isometric strength was 162 assessed using an S-type strain gauge attached to a custom-made aluminium frame that 163 provided force-time data collected at 200 Hz (Ergotest, Porsgrunn, Norway). The strength 164 test battery consisted of 4 tests that yielded 8 outcome measures: dominant and non-165 dominant (i) shoulder extension strength, (ii) shoulder flexion strength, (iii) hip extension 166 strength and (iv) hip flexion strength. The strength test protocols are outlined in detail in 167 Supplementary Table 1. Following practice trials, participants performed 3 maximal effort 168 trials for each test. Once in position, participants were instructed to slowly build up their

applied force until reaching their maximal effort within 2-3 seconds. All contractions lasted
between 4 and 10 seconds and were performed on each minute, giving participants at least
50 seconds rest between consecutive trials (Beckman, Newcombe, Vanlandewijck, Connick,
& Tweedy, 2014). Each participant was given the same set of instructions before and during
contractions. The best trial indicated by the highest maximal voluntary contraction (MVC)
was used for analysis. For each strength test a symmetry index was calculated as a ratio of
their non-dominant to dominant limb strength.

176 Para swimmers maximal clean swim speed was assessed over a 10 m calibrated test zone for 177 their preferred freestyle swim stroke. Clean swim speed was determined using standard two-178 dimensional video analysis procedures. Output from a 50 Hz video camera (Sony HDR HC9, 179 Sony Corporation, Japan) placed perpendicular to the swimmers' direction of travel was 180 captured using commercial software (Dartfish TeamPro version 7.0, Dartfish UK). 181 Participants were instructed to reach maximal swim speed prior to the start of the 10 m test 182 zone and sustain maximal swim speed until 5 m past the end of the test zone. They 183 performed two maximal effort trials separated by a minimum of 3 minutes' rest and the 184 fastest time to cover the 10 m test zone was used to compute their maximal clean swim 185 speed. The recorded maximal clean swim speeds were found to have strong relationships 186 with personal best race times for 50 m freestyle ( $R^2 = 0.914$ ) and 100 m freestyle ( $R^2 = 0.892$ ) 187 in our participant cohort. Maximal clean swim speed was not assessed for three Para 188 swimmers with hypertonia due to limited time with these participants.

#### 189 Statistical analyses

Statistics were calculated using R version 3.4.0 (R Core Team, 2017). Shapiro-Wilks tests indicated non-uniform distribution of several test measures for Para swimmers with hypertonia or impaired muscle power. A Kruskal-Wallis rank test was used to determine significant effects between hypertonia, impaired muscle power and non-disabled participant 194 groups. Wilcoxon tests were used post hoc to determine the source of significant effects, 195 with p-values adjusted for multiple comparisons using the Benjamini and Hochberg method. 196 Cliff's Delta (d), a non-parametric measure of effect size, was calculated with 95% confidence 197 intervals to indicate the magnitude of difference in strength test measures between Para 198 swimmers and non-disabled participants (Rogmann, 2013). Sex-specific differences were 199 calculated as there were significant differences found in isometric strength measures 200 between non-disabled male and female participants.

201 Random forest algorithm was used to establish the predictive validity of strength tests to 202 classify participants with and without strength impairment. Random forest is a non-linear 203 machine learning technique that uses an ensemble learning method for classification and 204 regression (Liaw & Wiener, 2002; Woods, Veale, Fransen, Robertson & Collier, 2018). 205 Separate models were built to determine the prediction accuracies based on sex. The 206 importance of predictor variables was determined using the mean decrease in accuracy, 207 which indicates the decrease in prediction accuracy that occurs when a single variable is 208 excluded during the out-of-bag error calculation (Liaw & Wiener, 2002; Woods et al., 2018).

Spearman correlation coefficients were calculated to assess the strength of association between the Para swimmers' strength test measures and maximal clean swim speeds. Correlations were calculated for the entire cohort of Para swimmers and independently for the hypertonia and impaired muscle power groups. Significance was set at an alpha value of  $\leq 0.05$ . The strength of correlations was interpreted as negligible (0.0-0.2), low (0.21-0.40),

214 moderate (0.41-0.60), high (0.61-0.80) and very high (>0.81) (Mukaka, 2012).

For non-disabled participants, normality of distribution was confirmed using the Shapiro-Wilk test. Unpaired sample t-tests assuming equal variances were used to determine differences between male and female participant groups. Reliability assessments were calculated using Hopkins' reliability spreadsheet (Hopkins, 2015). Paired sample t-tests were conducted to identify any systematic change in test measures between repeated trials. Intra class correlation coefficients (ICC) method 3,1, standard error of measurement (SEM) scores
 expressed in the original units of measurement, and coefficient of variation (CV) scores were
 calculated to provide an absolute assessment of reliability (Hopkins, 2000).

223

#### 224 RESULTS

225 Differences in strength scores between Para swimmers and non-disabled participants are 226 shown in Figure 1. Para swimmers showed significantly lower strength scores for all tests, 227 except for shoulder flexion strength in female Para swimmers (Figure 1C and 1D) and 228 dominant hip flexion strength in male Para swimmers with hypertonia (Figure 1G). Para 229 swimmers showed larger differences in strength scores compared with non-disabled 230 participants for their non-dominant limbs (Figure 1). This was illustrated in differences 231 between non-disabled participants and Para swimmers for symmetry indexes calculated for 232 shoulder extension strength (mean  $\pm$  range = 0.96  $\pm$  0.12 versus 0.82  $\pm$  0.51; d = 0.81, p<0.01), 233 shoulder flexion strength (mean  $\pm$  range =  $0.94 \pm 0.14$  versus  $0.84 \pm 0.55$ ; d = 0.52, p<0.01), 234 hip extension strength (mean  $\pm$  range = 0.94  $\pm$  0.16 versus 0.48  $\pm$  0.99; d = 0.77, p<0.01), and 235 hip flexion strength (mean  $\pm$  range = 0.95  $\pm$  0.11 versus 0.49  $\pm$  0.97; d = 0.89, p<0.01).

Random forest that included all strength test measures as predictor variables successfully classified 25/26 (96 %) male Para swimmers and 15/16 (94 %) female Para swimmers. The mean decrease in accuracy scores were similar for the male and female participant groups, with lower limb strength and symmetry measures typically being the most important variables for prediction of participants with and without physical impairment (Figure 2).

241 Maximal clean swim speeds were  $1.14\pm0.34$  m.s<sup>-1</sup> (range 0.21 to 1.62 m.s<sup>-1</sup>) for male Para 242 swimmers and  $1.03\pm0.29$  m.s<sup>-1</sup> (range 0.55 to 1.51 m.s<sup>-1</sup>) for female Para swimmers. Para swimmers with hypertonia (1.19±0.27 m.s<sup>-1</sup>; range 0.55 to 1.62 m.s<sup>-1</sup>) had slightly faster clean swim speeds than Para swimmers with Impaired muscle power (1.00±0.35 m.s<sup>-1</sup>; range 0.21 to 1.51 m.s<sup>-1</sup>), although there was no significant difference found between groups (p = 0.12). All strength scores had significant low to moderate correlations (r=0.32 to 0.53, p≤0.05) with maximal clean swim speed in the combined cohort of Para swimmers, except for nondominant shoulder flexion (r=0.15, p=0.35) (Figure 3).

249 There were fewer strength scores that had significant correlations with clean swim speeds 250 when hypertonia or impaired muscle power groups were analysed independently (Figure 3). 251 Dominant and non-dominant shoulder extension strength had the strongest correlations 252 with maximal clean swim speed for Para swimmers with hypertonia (r=0.46 to 0.66,  $p \le 0.04$ ) 253 and impaired muscle power (r=0.47 to 0.51,  $p \le 0.04$ ). Para swimmers with hypertonia also 254 showed significant correlations between clean swim speed and strength scores for dominant 255 shoulder flexion (r=0.66, p<0.01) and dominant hip flexion (r=0.44, p=0.05), while there were no correlations found for other strength tests (r=0.27 to 0.38, p=0.10 to 0.25). Para 256 257 swimmers with impaired muscle power reported no significant correlations between clean 258 swim speed and strength scores for shoulder flexion (r=-0.12 to 0.12, p =0.61 to 0.63), hip 259 extension (r=0.12 to 0.31, p=0.20 to 0.30), or hip flexion (r=0.12 to 0.19, p=0.45 to 0.61).

Reliability assessments indicated all strength tests to be reliable in non-disabled participants (Table 2). There were no significant changes in outcome measures between repeated trials, with participants' absolute and relative changes ranging from  $-7 \pm 4$  N to  $2 \pm 18$  N and  $-5 \pm 10$  % to  $3 \pm 12$  %, respectively. Strength test measures in non-disabled participants are shown in Figure 1 and Supplementary Table 2. Unpaired sample t-tests assuming equal variances indicated significant differences (p<0.01) between non-disabled male and female participants for all strength tests, except for measures of strength symmetry.

267

#### 268 DISCUSSION

269 This study aimed to establish the validity and reliability of isometric strength tests for 270 classification of Para swimmers with physical impairment. A key measurement property of 271 these tests is their ability to identify Para swimmers with an eligible strength impairment. 272 Eligibility is determined by type of physical impairment, as well as impairment severity that 273 must conform to the minimum eligibility criteria. The isometric strength tests presented in 274 this study were found to differ between Para swimmers with physical impairments and non-275 disabled participants (Figure 1), suggesting they will be useful in inferring loss of strength and 276 guiding minimum eligibility criteria in Para swimming cohorts.

277 The strength test measures reported for non-disabled participants provide a useful 278 benchmark to infer loss of muscle strength in Para swimmers, although there are several 279 points to consider beforehand. First, there were significant differences in strength scores 280 between non-disabled male and female participants suggesting that sex-specific benchmarks 281 should be used to infer loss of strength in Para swimmers with physical impairment 282 (Supplementary Table 2). Second, the non-disabled participants showed considerable variations in strength scores (Figure 1), likely due to the range in reported activity 283 284 backgrounds (Table 1). Given that muscular strength is responsive to training type, volume 285 and intensity (Crowley et al., 2017) it is important that normative values are collected in a 286 larger sample of able-bodied swimmers with various training ages and regimes. This will 287 provide classifiers with normative values in non-disabled participants stratified by age, sex 288 and training status so that they can accurately infer Para swimmers' strength impairments.

Supporting the predictive validity of the isometric strength test battery, the random forest algorithm had a 95 % success rate in correctly classifying participants with and without physical impairment based on strength test measures. There were two Para swimmers that were incorrectly classified as non-disabled participants. The first was a male Para swimmer 293 with hemiplegic cerebral palsy that competes in the S6 class based on classification of motor 294 coordination impairment, and so it is possible that that this participant is not affected by 295 strength impairment. For Para swimmers with hypertonia, the current classification system 296 assigns class based on the assessment of strength, motor coordination or range of movement 297 depending on which one of these is judged to be most affected by the Para swimmer's health 298 condition (International Paralympic Committee, 2017). It is interesting that all Para 299 swimmers with hypertonia in this study compete in their current sport class based on 300 assessment of motor coordination impairment. The high success rate of the random forest 301 in classifying these Para swimmers using isometric strength and symmetry scores indicates 302 that these Para swimmers have strength impairments that affect their swimming 303 performance (Figure 3). This finding highlights the complexity of these Para swimmers' 304 health conditions, and that classification should collectively account for impairments in 305 strength, motor coordination and range of motion for these swimmers.

306 The incorrect classification of the female Para swimmer by the random forest algorithm 307 raises several questions of the isometric strength test battery. This Para swimmer has an 308 incomplete L4-L5 spinal cord injury and competes in the S8 sport class at Paralympic and 309 World Championship standard. The random forest algorithm assigned 40 % of the votes to 310 the priori case most likely as the participant's strength scores were within or higher than the 311 lower and upper quartiles for scores in non-disabled females, except for dominant and non-312 dominant hip extension. This highlights the requirement of obtaining normative values in 313 highly trained able-bodied swimmers to accurately infer strength impairment. Further, based 314 on their classification records the Para swimmer was most affected by limited strength 315 around the ankle joint. Active ankle range of motion is important to effectively orientate the 316 foot segment during leg kicking to generate drag and lift forces (Connaboy et al., 2016), and 317 plantar flexion at the ankle joint contributes to propulsion during starts and turns (Jones et 318 al., 2018; Morouco et al., 2012). Although active range of motion assessments might explain

part of this swimmer's activity limitation (Nicholson et al., 2018), these results indicate thatthe isometric strength test battery is not entirely comprehensive.

321 An important aspect of this study was examining the convergent validity of isometric 322 strength tests by establishing their strength of association with freestyle swim performance. 323 When the entire para swimming cohort was included in analyses there were low to moderate 324 correlations found between maximal swim speed and all isometric strength scores, except 325 for non-dominant shoulder flexion (Figure 3). Para swimmers showed the strongest 326 correlations between isometric shoulder extension strength and maximal clean swim speed 327 (Figure 3A and 3B). The upper limb extremity contributes to most of the propulsive force 328 during tethered front crawl swimming (Amaro et al., 2017; Morouco et al., 2015), and the 329 shoulder position during this test represented the start of the underwater push phase where 330 able-bodied swimmers achieve the highest absolute hand speeds (Samson, Monnet, Bernard, 331 Lacouture & David, 2015). The lower limb extremity contributes less to propulsion in front crawl swimming (Amaro et al., 2017; Morouco et al., 2015), which explains the lower 332 333 correlations found between hip flexion and extension strength and freestyle swim 334 performance in the combined cohort of Para swimmers (Figure 3). The leg kick is important 335 in stabilising and controlling body roll in coordination with the arm stroke (Bartolomeu et al., 336 2018; Psycharakis & Sanders, 2010) and generates drag and lift forces that are likely to have 337 higher contributions to instantaneous swim velocity in cases where the arm stroke is limited 338 by impairment (Morouco et al., 2015; Bartolomeu et al., 2018). However, these tests might 339 not comprehensively describe knee flexion and plantar flexion strength impairments that 340 relate to starts and turns performance (Dingley et al., 2015; Jones et al., 2018) or propulsive 341 forces during swim kicking (Connaboy et al., 2016).

342 Ensuring that the isometric strength test battery is comprehensive and parsimonious is 343 important to consider before its implementation into a revised classification system. It is 344 important to highlight that there were fewer correlations found between strength scores 345 and maximal swim speeds when hypertonia and impaired muscle power groups were 346 analysed independently (Figure 3). There are two explanations for these results. First, the 347 wide range in location and distribution of strength impairment of Para swimmers that are 348 within these groups affect the ability of any singular strength score to explain activity 349 limitation in swimming. For instance, Para swimmers with impaired muscle power had a 350 range of medical conditions (Table 1), some that might cause an even distribution of strength 351 impairment across the upper and lower limbs (e.g. Charcot-Marie-Tooth disease) and others 352 where strength impairment is confined to the trunk and lower limbs (e.g. complete SCI). 353 Despite no correlation being found between lower limb strength and swim performance 354 within this group (Figure 3), lower limb strength scores might be useful in explaining activity 355 limitation in Para swimmers that have some remaining lower limb muscle power due to the 356 role of leg kick in controlling body roll and stabilising the torso (Bartolomeu et al., 2018; 357 Psycharakis & Sanders, 2010). Conversely, the assessment of trunk impairment might be 358 more important in understanding activity limitation in Para swimmers with complete SCI that 359 cannot leg kick due to having no lower limb muscle power (Altman et al., 2017; Altman et al., 360 2018; Psycharakis & Sanders, 2010).

361 Another explanation for the above, is that the type of physical impairment influences the 362 association between strength tests and para swimming performance. It is interesting to note 363 that Para swimmers with hypertonia showed a high correlation between dominant shoulder 364 flexion and maximal clean swim speed (r=0.66, p<0.01), while there was no correlation found 365 in Para swimmers with impaired muscle power (Figure 3C). This test was included in the 366 battery as it was thought it would describe activity limitation in Para swimmers with severe 367 impairments that use modified swim strokes (Prins & Murata, 2008). The positioning and 368 action of the isometric shoulder flexion test is dissimilar to the kinematics of the underwater 369 and recovery stroke phases of front crawl in able-bodied swimmers (Martens et al., 2015),

370 which explains why no correlation was found with maximal swim speed in the impaired 371 muscle power group. Conversely, the shoulder flexion strength test might be associated with 372 the level of spasticity that affects Para swimmers with hypertonia and may be collinear with 373 reduced motor coordination and range of motion that affects swim performance. Indeed, 374 spasticity typically affects the flexor, adductor and internal rotator muscle groups more than 375 their antagonists (Antunes, Rossato, Lima Kons, Luiz Sakugawa & Fischer, 2017; Delgado & 376 Albright, 2003), and there is a high inverse association between the level of spasticity and 377 voluntary motor function in people with health conditions such cerebral palsy and acquired 378 brain injury (Delgado & Albright, 2003). These results highlight the impairment-specific 379 nature of activity limitation in Para swimming, and that separate test batteries could be used 380 to classify Para swimmers based on their aetiology of impairment.

381 The final aim of this study was to establish the test-retest reliability of strength tests. All tests 382 were shown to be reliable in non-disabled participants, which is a prerequisite for evidence-383 based classification. Unfortunately, reliability in Para swimmers with hypertonia or impaired 384 muscle power was not assessed due to limited time available to test these swimmers. 385 Reliability data was collected in a convenient sample of non-disabled participants as 386 measures that were found to be unreliable in this cohort would be unlikely to have 387 acceptable reliability in Para swimmers with physical impairments (Beckman et al., 2014; 388 Connick, Beckman, Deuble & Tweedy, 2016; Nicholson et al., 2018). Future studies should 389 now establish the reliability of measures in Para swimmers with physical impairments to 390 confirm their utility in Para swimming classification.

391 It is important to note that the application of this study's findings is limited without further 392 research. This study intentionally limited tests that were designed to explain activity 393 limitation in the freestyle discipline as there was limited time available to test Para swimmers. 394 While there is likely to be some crossover between tests, other swim strokes are dependent on muscle groups and actions that were not assessed in this study (Martens et al., 2015).
Targeted efforts are now required to develop strength tests that explain activity limitation in
other swim strokes. Once this has been achieved, data collection in a larger sample of para
swimmers can be conducted to define the relative impact that strength impairments have
on swimming performance and guide valid classification structures (Altman et al., 2018;
Connick et al., 2018; Hogarth, Payton, Van de Vliet, Connick & Burkett, 2018).

401 The isometric strength tests in this study also have several inherent limitations in classifying 402 strength impairment. Namely, they are susceptible to athletes misrepresenting their abilities, 403 they limit strength assessment to a fixed range of motion, strength scores might be 404 susceptible to fatigue induced by prior activity or the tests themselves, and measures might 405 be responsive to sport-specific training regimes (McGuigan, Newton, Winchester & Nelson, 406 2010). Even with these limitations, the objective measurement of strength impairment will 407 undoubtedly improve the accuracy and transparency of Para swimming classification 408 compared with current methods (Connick et al., 2018). Additionally, longitudinal 409 assessments of isometric strength in Para swimmers will provide insights into their 410 responsiveness to sport-specific training regimes so that classifiers can more accurately infer strength impairment, and machine learning algorithms can predict competitive 411 412 performances from objective impairment measures to identify outlying performances 413 caused by intentional misrepresentation of abilities (Hogarth et al., 2018).

414

#### 415 **CONCLUSIONS**

This study presented isometric strength tests that were developed to permit evidence-based classification in Para swimming. Strength test measures had acceptable reliability in nondisabled participants - a requisite of evidence-based classification. Differences in strength test measures were found between non-disabled participants and Para swimmers with 420 hypertonia or impaired muscle power, and random forest algorithm successfully classified 421 95% of Para swimmers. These results indicate that these tests will be useful in inferring loss 422 of strength in Para swimmers with strength impairment and guiding minimum eligibility 423 criteria. Dominant and non-dominant strength scores also had significant correlations with 424 maximal freestyle swim speed in Para swimmers. This suggests that strength tests will be 425 useful in explaining activity limitation in Para swimming, although results indicate that the 426 type and aetiology of physical impairment influence the utility of some strength tests. 427 Collectively, the results of this study make a significant contribution toward evidence-based 428 methods of classification for Para swimmers with strength impairments.

# **REFERENCES**

430	Altmann, V. C., Groen, B. E., Hart, A. L., Vanlandewijck, Y. C., van Limbeek, J., & Keijsers, N.
431	L. W. (2017). The impact of trunk impairment on performance-determining
432	activities in wheelchair rugby. Scand J Med Sci Sports, 27(9), 1005-1014. doi:
433	10.1111/sms.12720
434	Altmann, V. C., Groen, B. E., Hart, A. L., Vanlandewijck, Y. C., & Keijsers, N. L. W. (2018).
435	Classifying trunk strength impairment according to the activity limitation caused in
436	wheelchair rugby performance. Scand J Med Sci Sports, 28(2), 649-657. doi:
437	10.1111/sms.12921
438	Amaro, N. M., Morouco, P. G., Marques, M. C., Fernandes, R. J., & Marinho, D. A. (2017).
439	Biomechanical and bioenergetical evaluation of swimmers using fully-tethered
440	swimming: A qualitative review. Journal of Human Sport and Exercise, 12(4), 1346-
441	1360. doi: 10.14198/jhse.2017.124.20
442	Antunes, D., Rossato, M., Kons, R. L., Sakugawa, R. L., & Fischer, G. (2017). Neuromuscular
443	features in sprinters with cerebral palsy: case studies based on paralympic
444	classification. J Exerc Rehabil, 13(6), 716-721. doi: 10.12965/jer.1735112.556
445	Bartolomeu, R. F., Costa, M. J., & Barbosa, T. M. (2018). Contribution of limbs' actions to
446	the four competitive swimming strokes: a nonlinear approach. J Sports Sci, 1-10.
447	doi: 10.1080/02640414.2018.1423608
448	Beckman, E. M., Connick, M. J., & Tweedy, S. M. (2016). How much does lower body
449	strength impact Paralympic running performance? <i>Eur J Sport Sci, 16</i> (6), 669-676.
450	doi: 10.1080/17461391.2015.1132775
451	Beckman, E. M., Connick, M. J., & Tweedy, S. M. (2017). Assessing muscle strength for the
452	purpose of classification in Paralympic sport: A review and recommendations. J Sci
453	Med Sport, 20(4), 391-396. doi: 10.1016/j.jsams.2016.08.010

454	Beckman, E. M., Newcombe, P., Vanlandewijck, Y., Connick, M. J., & Tweedy, S. M. (2014).
455	Novel strength test battery to permit evidence-based paralympic classification.
456	<i>Medicine (Baltimore), 93</i> (4), e31. doi: 10.1097/MD.000000000000031
457	Bohannon, R. W. (2005). Manual muscle testing: does it meet the standards of an adequate
458	screening test? Clin Rehabil, 19(6), 662-667. doi: 10.1191/0269215505cr873oa
459	Burkett, B., Connick, M., Sayers, M., Hogarth, L., Stevens, T., Hurkx, M., & Tweedy, S.
460	(2017). Kinematic analyses of seated throwing activities with and without an
461	assistive pole. Sports Engineering, 20(2), 163-170. doi: 10.1007/s12283-016-0221-y
462	Burkett, B., Payton, C., Van de Vliet, P., Jarvis, H., Daly, D., Mehrkuehler, C., Kilian, M., &
463	Hogarth, L. (2018). Performance characteristics of para Swimmers: How effective is
464	the swimming classification system? Phys Med Rehabil Clin N Am, 29(2), 333-346.
465	doi: 10.1016/j.pmr.2018.01.011
466	Connaboy, C., Naemi, R., Brown, S., Psycharakis, S., McCabe, C., Coleman, S., & Sanders, R.
467	(2016). The key kinematic determinants of undulatory underwater swimming at
468	maximal velocity. <i>J Sports Sci, 34</i> (11), 1036-1043. doi:
469	10.1080/02640414.2015.1088162
470	Connick, M. J., Beckman, E., Deuble, R., & Tweedy, S. M. (2016). Developing tests of
471	impaired coordination for Paralympic classification: normative values and test-
472	retest reliability. Sports Engineering, 19(3), 147-154. doi: 10.1007/s12283-016-
473	0199-5
474	Connick, M. J., Beckman, E., Vanlandewijck, Y., Malone, L. A., Blomqvist, S., & Tweedy, S. M.
475	(2017). Cluster analysis of novel isometric strength measures produces a valid and
476	evidence-based classification structure for wheelchair track racing. Br J Sports Med.
477	doi: 10.1136/bjsports-2017-097558

- 478 Cormie, P., McGuigan, M. R., & Newton, R. U. (2011). Developing maximal neuromuscular
- 479 power: part 2 training considerations for improving maximal power production.
- 481 Crowley, E., Harrison, A. J., & Lyons, M. (2017). The Impact of Resistance Training on
- 482 Swimming Performance: A Systematic Review. *Sports Med.* doi: 10.1007/s40279-
- 483 017-0730-2
- Daly, D. J., & Vanlandewijck, Y. (1999). Some criteria for evaluating the "fairness" of
- 485 swimming classification. *Adapted Physical Activity Quarterly, 16*(3), 271-289
- 486 Delgado, M. R., & Albright, A. L. (2003). Movement disorders in children: definitions,
- 487 classifications, and grading systems. J Child Neurol, 18 Suppl 1, S1-8. doi:
- 488 10.1177/0883073803018001S0301
- 489 Dingley, A. A., Pyne, D., & Burkett, B. (2014). Dry-land bilateral hand-force production and
- 490 swimming performance in paralympic swimmers. *Int J Sports Med, 35*(11), 949-953.
- 491 doi: 10.1055/s-0033-1364023
- 492 Dingley, A. A., Pyne, D. B., Youngson, J., & Burkett, B. (2015). Effectiveness of a dry-land
- 493 resistance training program on strength, power, and swimming performance in
- 494 paralympic swimmers. J Strength Cond Res, 29(3), 619-626. doi:
- 495 10.1519/JSC.00000000000684
- 496 Hogarth, L., Payton, C., Van de Vliet, P., Connick, M., & Burkett, B. (2018). A novel method
- 497 to guide classification of para swimmers with limb deficiency. Scand J Sci Med
- 498 *Sports, 0*(0). 1-10. doi: 10.1111/sms.13229
- 499 Hopkins, W. G. (2000). Measures of reliability in sports medicine and science. Sports
- 500 *Medicine, 30*(1), 1-15. doi: Doi 10.2165/00007256-200030010-00001
- 501 Hopkins, W. G. (2015). Spreadsheets for analysis of validity and reliability. Sportscience, 19,
- 502 36-42

- 503 Hyde, A., Hogarth, L., Sayers, M., Beckman, E., Connick, M. J., Tweedy, S., & Burkett, B.
- 504 (2017). The Impact of an Assistive Pole, Seat Configuration, and Strength in
- 505 Paralympic Seated Throwing. *Int J Sports Physiol Perform, 12*(7), 977-983. doi:
- 506 10.1123/ijspp.2016-0340
- 507 International Paralympic Committee. (2015). *IPC Athlete Classification Code*. Retrieved from
- 508 https://www.paralympic.org/classification/2015-athlete-classification-code
- 509 International Paralympic Committee. (2017). World Para Swimming Classification Rules and
- 510 *Regulations*: International Paralympic Committee.
- Jones, J. V., Pyne, D. B., Haff, G. G., & Newton, R. U. (2018). Comparison of ballistic and
- 512 strength training on swimming turn and dry-land leg extensor characteristics in
- elite swimmers. International Journal of Sports Science & Coaching, 13(2), 262-269.
- 514 doi: 10.1177/1747954117726017
- Liaw, A., & Wiener, M. (2002). Classification and Regression by randomForest. R News, 2(3),
  18-22.
- 517 Loturco, I., Barbosa, A. C., Nocentini, R. K., Pereira, L. A., Kobal, R., Kitamura, K., . . .
- 518 Nakamura, F. Y. (2016). A Correlational Analysis of Tethered Swimming, Swim
- 519 Sprint Performance and Dry-land Power Assessments. Int J Sports Med, 37(3), 211-
- 520 218. doi: 10.1055/s-0035-1559694
- 521 Martens, J., Figueiredo, P., & Daly, D. (2015). Electromyography in the four competitive
- 522 swimming strokes: a systematic review. J Electromyogr Kinesiol, 25(2), 273-291.
- 523 doi: 10.1016/j.jelekin.2014.12.003
- 524 McGuigan, M. R., Newton, M. J., Winchester, J. B., & Nelson, A. G. (2010). Relationship
- 525 between isometric and dynamic strength in recreationally trained men. J Strength
- 526 *Cond Res, 24*(9), 2570-2573. doi: 10.1519/JSC.0b013e3181ecd381

527 Morouço, P. G., Marinho, D. A., Amaro, N. M., Pérez-Turpin, J. A., & Marques, M. C. (2012).

- 528 Effects of dry-land strength training on swimming performance: a brief review.
- 529 Journal of Human Sport and Exercise, 7(2), 553-559. doi: 10.4100/jhse.2012.72.18
- 530 Morouco, P. G., Marinho, D. A., Izquierdo, M., Neiva, H., & Marques, M. C. (2015). Relative
- 531 Contribution of Arms and Legs in 30 s Fully Tethered Front Crawl Swimming.
- 532 Biomed Res Int, 2015, 563206. doi: 10.1155/2015/563206
- 533 Morouco, P., Neiva, H., Gonzalez-Badillo, J. J., Garrido, N., Marinho, D. A., & Marques, M. C.
- 534 (2011). Associations between dry land strength and power measurements with
- 535 swimming performance in elite athletes: a pilot study. *J Hum Kinet, 29A*, 105-112.
- 536 doi: 10.2478/v10078-011-0065-2
- 537 Mukaka, M. M. (2012). A guide to appropriate use of correlation coefficient in medical
  538 research. *Malawi Medical Journal*, 24, 69-71.
- 539 Nicholson, V., Spathis, J., Hogarth, L., Connick, M., Beckman, E., Tweedy, S., . . . Burkett, B.
- 540 Establishing the reliability of a novel battery of range of motion tests to enable
- 541 evidence-based classification In Para Swimming. Physical Therapy in Sport. doi:
- 542 10.1016/j.ptsp.2018.04.021
- 543 Oh, Y. T., Burkett, B., Osborough, C., Formosa, D., & Payton, C. (2013). London 2012
- 544 Paralympic swimming: passive drag and the classification system. Br J Sports Med,
- 545 47(13), 838-843. doi: 10.1136/bjsports-2013-092192
- 546 Prins, J., & Murata, N. (2008). Kinematic Analysis of Swimmers with Permanent Physical
- 547 Disabilities. International Journal of Aquatic Research and Education, 4(6), 330-345.
- 548 doi: 10.25035/ijare.02.04.06
- 549 Psycharakis, S. G., & Sanders, R. H. (2010). Body roll in swimming: a review. J Sports Sci,
- 550 28(3), 229-236. doi: 10.1080/02640410903508847

- 551 Rogmann, J. J. (2013). Ordinal Dominance Statistics (orddom): An R Project for Statistical
- 552 *Computing package to compute ordinal, nonparametric alternatives to mean*
- 553 *comparison (Version 3.1)*. Retrieved from <u>http://cran.r-project.org/</u>
- 554 Samson, M., Monnet, T., Bernard, A., Lacouture, P., & David, L. (2015). Kinematic hand
- parameters in front crawl at different paces of swimming. J Biomech, 48(14), 3743-
- 556 3750. doi: 10.1016/j.jbiomech.2015.07.034
- 557 Tweedy, S. M., Beckman, E. M., & Connick, M. J. (2014). Paralympic classification:
- 558 conceptual basis, current methods, and research update. *PM R, 6*(8 Suppl), S11-17.
- 559 doi: 10.1016/j.pmrj.2014.04.013
- 560 Tweedy, S. M., Mann, D., & Vanlandewijck, Y. C. (2016). Research needs for the
- 561 development of evidence-based systems of classification for physical, vision, and
- intellectual impairments. In Y. C. Vanlandewijck & W. R. Thompson (Eds.), *Training and Coaching the Paralympic Athlete* (pp. 122-149): John Wiley & Sons, Ltd.
- 564 Tweedy, S. M., & Vanlandewijck, Y. C. (2011). International Paralympic Committee position
- 565 stand--background and scientific principles of classification in Paralympic sport. *Br J*
- 566 *Sports Med, 45*(4), 259-269. doi: 10.1136/bjsm.2009.065060
- 567 Woods, C. T., Veale, J., Fransen, J., Robertson, S., & Collier, N. F. (2018). Classification of
- 568 playing position in elite junior Australian football using technical skill indicators. J

569 Sports Sci, 36(1), 97-103. doi: 10.1080/02640414.2017.1282621

- 570 Wu, S. K., & Williams, T. (1999). Paralympic swimming performance, impairment, and the
- 571 functional classification system. *Adapted Physical Activity Quarterly, 16*(3), 251-270

### **Figure captions**



Figure 1. Strength test scores for Para swimmers with physical impairments and non-disabled participants. Scores a for (A) dominant and (B) non-dominant shoulder extension, (C) dominant and (D) non-dominant shoulder flexion, (E) dominant and (F) non-dominant hip extension, and (G) dominant and (H) non-dominant hip flexion. Data are reported for male (dark colour box plots) and female (white colour box plots) participants. Data are Cliff's delta scores with 95% CI indicating differences between para swimmers and non-disabled participants. \*( $p \le 0.05$ ) and \*\*( $p \le 0.01$ ) indicate significance.



**Figure 2. Mean decrease in accuracy scores indicating variable importance in classifying participants with and without physical impairment.** Scores are reported for (A) male and (B) female participants. The variable importance score is the decrease in accuracy for each predictor variable when it is excluded from the classification model. The plot shows "non-dominant hip flexion" strength to be the strongest predictor in whether male and female participants did or did not have physical impairment.



Figure 3. Strength of association between strength test scores and clean swim speed during maximal freestyle swimming. Data are Spearman correlation coefficients indicating strength of association between clean swim speed and (A) dominant and (B) non-dominant shoulder extension, (C) dominant and (D) don-dominant shoulder flexion, (E) dominant and (F) non-dominant hip extension, and (G) dominant and (H) non-dominant hip flexion. Plots show these associations for the combined cohort of para swimmers (n=39) and independently for Para swimmers with hypertonia (n=20) or impaired muscle power (n=19). Male (dark colour dots) and female (white colour dots) participants were pooled for analysis.  $*(p \le 0.05)$  and  $**(p \le 0.01)$  indicate significance.

		Hypertonia	Impaired muscle power	Non-disabled
	Males	n = 17	n = 9	n = 15
	Females	n = 6	n = 10	n = 15
Age (yrs)	Males	26.5 (7.0)	31.5 (7.7)	24 (4)
	Females	19.8 (4.1)	29.9 (10.2)	23 (5)
Body mass (kg)	Males	67.9 (9.8)	63.4 (14.4)	79.8 (11.4)
	Females	58.2 (10.30	56.2 (10.3)	68.1 (9.7)
Stature (cm)	Males	172.0 (8.8)	167.2 (12.4)	182.7 (7.7)
	Females	160.7 (9.0)	153.0 (13.4)	171.4 (7.0)
Departed eversion		Madian - 7 F	Madian - 7	Madian - C
frequency		$\frac{1}{1000} = 7.5$	$\frac{1}{1}$	$\frac{1}{1}$
(n/wook)		Kange – 2 to 15	Kange – 5 to 14	Kalige – 5 to 14
		Median = 720	Median = 630	Median = 360
exercise duration		Range = $180 \text{ to } 1200$	Range = $180 \text{ to } 1170$	Range = $150 \text{ to } 1200$
(min/week)		100 10 1200	hunge 100 to 11,0	
Reported		Competitive swimming	Competitive swimming	Resistance training
activities		(n=23)	(n=19)	(n=17)
		Resistance training	Resistance training (n=6)	Recreational fitness <sup>a</sup>
		(n=15)	Wheelchair rugby (n=1)	(n=13)
			Pilates and Yoga (n=1)	Competitive sport <sup>b</sup>
				(n=12)
				Recreational sport <sup>c</sup> (n=8)
				Pilates and Yoga (n=4)
Competitive		International <sup>d</sup> (n=9)	International <sup>d</sup> (n=9)	
standard		National (n=14)	National (n=10)	
Competitive swim		Median = 9.5	Median = 7	
experience (yrs)		Range = 2 to 26	Range = 4 to 20	
S Class		S3 (n=1)	S1 (n=2)	
		S4 (n=4)	S3 (n=2)	
		S5 (n=2)	S4 (n=2)	
		SD (N=S)	S5 (n=3)	
		57(11-2)	50 (11-5) 57 (n-2)	
		SQ(n-7)	57(11-2)	
		55 (II-2)	SQ(n=2)	
Medical		Diplegic CP (n=8)	Incomplete SCI (n=4)	
conditions		Hemiplegic CP (n=9)	Complete SCI (n=8)	
		Quadriplegic CP (n=4)	Charcot-Marie-Tooth	
		Other (n=2)	disease (n=2)	
			Spina bifida (2)	
			Polio (n=1)	
			Other (n=3)	

Table 1. Characteristics of non-disabled participants and para swimmers with physical impairment.

CP = cerebral palsy, SCI = spinal cord injury. S Class = para swimmers' current class for freestyle, backstroke and butterfly swimming events. <sup>a</sup> Reported recreational fitness activities included moderate to high-intensity aerobic exercise, and group fitness classes. <sup>b</sup> Reported competitive sports training or competition included athletics, rugby, AFL, football, powerlifting and swimming. <sup>c</sup> Reported recreational sport competition included football, badminton, netball, jujitsu, dance and surfing. <sup>d</sup> Para swimmers were classified as international standard if they had competed during a Paralympic or World Championship event.

Table 2. Reliability of strength test measures in non-disabled participants.

		Trial 1	Trial 2	Δ T2 – T1	SEM	CV.	
		Mean (SD)	Mean (SD)	Mean (SD)		(0/)	
		(N)	(N)	(N)	(1)	(70)	(95% CI)
Shoulder extension	Dominant	170.3 (54.0)	172.0 (52.1)	1.7 (15.1)	10.2	6.9	0.97 (0.92-
strength							0.99)
	Non-	156.0 (50.4)	157.8 (44.3)	1.9 (18.3)	12.9	8.5	0.94 (0.87-
	dominant						0.98)
Shoulder flexion	Dominant	128.1 (39.3)	122.3 (35.6)	-5.9 (12.1)	8.6	6.8	0.97 (0.91-
strength							0.99)
	Non-	117.1 (37.0)	110.4 (33.4)	-6.7 (14.1)	10.0	7.7	0.96 (0.9-0.98)
	dominant						
Hip extension	Dominant	245.1 (46.9)	242.7 (46.1)	-2.5 (20.3)	14.4	6.4	0.91 (0.78-
strength							0.96)
	Non-	225.3 (38.3)	222.7 (45.4)	-2.6 (24.5)	17.4	8.0	0.85 (0.65-
	dominant						0.94)
Hip flexion strength	Dominant	168.8 (46.7)	164.7 (42.7)	-4.2 (19.7)	14.0	9.1	0.91 (0.78-
							0.96)
	Non-	157.2 (43.5)	155.5 (45.7)	-1.7 (15.2)	10.7	6.8	0.95 (0.89-
	dominant						0.98)

SEM = standard error of measurement, CV = coefficient of variation, ICC = intraclass correlation coefficient, CI = confidence interval.

# Supplementary online material

Supplementary Table 1. Description of isometric strength tests developed for Para swimming classification.

Test description	
Strength test: Shoulder extension	
<b>Procedure:</b> Participants sat with their trunk firmly supported by a back-rest and strapping. The cuff attached to the load cell was positioned at shoulder height in front of the arm being tested. The palm of the participants hand was placed downwards in the cuff with their elbow in a neutral position, and 90° of shoulder flexion. Positioning was confirmed using a digital inclinometer. The load cell was zeroed before trials with participants in the test position. Participants were instructed to apply maximum force to the load cell attachment while keeping their knuckles of the tested hand in contact with the upright of the strength rig.	
<b>Rationale:</b> The shoulder position in this test represents the mid-stroke position or the start of the underwater push phase. The upper limb extremity contributes to most of the propulsion during front crawl with the underwater push phase being an important due to the maximum hand speeds that are produced by able-bodied swimmers during this phase. This test also requires the participant to stabilise the elbow and wrist joint during muscular contractions, which is similar to joint actions during the underwater push and pull phases during front crawl.	
<b>Limitations in people with disabilities:</b> All para swimmers participating in this study could attain the shoulder position for this test. One para swimmer with spastic cerebral palsy could not perform a maximal effort without co-contraction of the elbow flexors, suggesting splinting or bracing methods might improve the validity and reliability of this test in people with disabilities.	

Supplementary Table 1 (continued). Description of isometric strength tests developed for Para swimming classification.

Test description

# Strength test: Shoulder flexion

**Procedure:** Participants sat with their trunk firmly supported by a back-rest and strapping. The hand of the tested arm was placed in the cuff with the palm facing forward in a neutral position, elbow in a neutral position, and shoulder in a neutral. The load cell was attached to the strength rig at the height of the tested hand with the attachment taut when participants were in the test position. The load cell was zeroed before trials with participants shoulder in an extended position so that the load cell attachment was not taut. Participants were instructed to "take the slack" of the load cell attachment and pause prior to commencing the maximal effort test.

**Rationale:** Although being dissimilar to front crawl kinematics in able-bodied swimmers, this test was included in the battery to explain activity limitation in para swimmers with severe physical impairments. Some of these para swimmers will use modified stroke patterns in the freestyle discipline, such as double armed backstroke. The shoulder positioning during this test might represent part of the underwater propulsion phase for these swimmers.

**Limitations in people with disabilities:** While all para swimmers could attain the shoulder positioning for this test, one para swimmer with spastic cerebral palsy could not perform the shoulder action without co-contraction of the elbow flexors, suggesting splinting or bracing methods might improve the validity and reliability of this test in people with disabilities.

# 31

Supplementary Table 1 (continued). Description of isometric strength tests developed for Para swimming classification.

Test description	
Strength test: Hip extension	
<ul> <li>Procedure: Participants were in a supine position on a massage plinth with their legs off the bench at the popliteal crease. The tested leg was placed in an ankle cuff that attached the load cell to the strength rig so that the tested leg was in 15° of hip flexion, and neutral knee and ankle positioning. Arms were folded across the chest, and the foot of the tested leg was not in contact with the strength rig. Positioning was confirmed using a digital inclinometer that was placed on the mid-section of the thigh. The load cell was zeroed before trials with participants in the test position.</li> <li>Rationale: The leg kick contributes to propulsion and plays an important role in stabilising the body in coordination with the arm stroke during front crawl swimming. This test was designed to explain the contribution of the posterior chain in allowing para swimmers to maintain streamlined body positioning during freestyle. Hip extension strength is also important to starts and turns performance.</li> <li>Limitations in people with disabilities: Several para swimmers with contractures around the hip and knee could not achieve standardised positioning for this test. Para swimmers with diplegic cerebral palsy often could not achieve full knee extension. One para swimmer with severe hip and knee contractures had to perform the test in a modified seated position with the ankle strap attached as the lower thigh.</li> </ul>	

Supplementary Table 1 (continued). Description of isometric strength tests developed for Para swimming classification.

Test description	
Strength test: Hip flexion	
<b>Procedure:</b> Participants were in a supine position on a massage plinth with their legs off the bench at the popliteal crease. The tested leg was placed in an ankle cuff. The load cell attachment was positioned so that it was taut when the hip and knee of the tested leg were horizontal. Arms were folded across the chest, and the foot of the tested leg was not in contact with the strength rig. The load cell was zeroed before trials with participants leg in a relaxed position so that the load cell attachment was not taut. Participants were instructed to "take the slack" of the load cell attachment and pause prior to commencing the maximal effort test.	
<b>Rationale:</b> The leg kick contributes to propulsion and plays an important role in stabilising the body in coordination with the arm stroke during front crawl swimming. This test was designed to explain the contribution of kip and knee flexion to the drag and lift forces generated by the leg kick during front crawl.	
<b>Limitations in people with disabilities:</b> Several para swimmers with contractures around the hip and knee could not achieve standardised positioning for this test. Para swimmers with diplegic cerebral palsy often could not achieve full knee extension. One para swimmer with severe hip and knee contractures had to perform the test in a modified seated position with the ankle strap attached as the lower thigh.	

# Supplementary online material

Supplementary Table 2. Strength test measures (mean ± SD) in non-disabled participants.	

		Males (n=15)	Females (n=15)
Shoulder extension strength	Dominant (N)	194.3 (44.2)	117.0 (25.6)*
	Non-dominant (N)	184.7 (43.0)	113.4 (25.3)*
	Symmetry index	0.95 (0.03)	0.97 (0.02)
Shoulder flexion strength	Dominant (N)	152.3 (40.8)	79.2 (17.6)*
	Non-dominant (N)	142.9 (36.5)	74.0 (16.6)*
	Symmetry index	0.94 (0.03)	0.94 (0.05)
Hip extension strength	Dominant (N)	252.8 (42.8)	192.7 (34.6)*
	Non-dominant (N)	240.8 (37.3)	187.1 (36.0)*
	Symmetry index	0.95 (0.02)	0.92 (0.05)
Hip flexion strength	Dominant (N)	188.6 (46.2)	128.8 (14.9)*
	Non-dominant (N)	178.7 (43.1)	122.3 (14.0)*
	Symmetry index	0.95 (0.04)	0.95 (0.04)

\* indicates significant difference (p<0.01) to male group.