Supplementary Table S1.

Trajectory group characteristics. Bold text indicates $p < .05^{a}$

*entered into multinomial logistic regression	1 n = 218 (14.5%)	2 n = 456 (30.3%)	3 n = 299 (19.8%)	4 n = 294 (19.5%)	5 n = 240 (15.9%)	Sig
	Low poor	Moderate poor	Improving	Declining	High good	
Child characteristics						
*Child age at entry to care, M (SD)	3.2 (4.4)	3.0 (3.9)	2.4 (3.1)	4.2 (3.9)	4.3 (4.4)	<.001
*Child is Aboriginal, n (%)	107 (49.1)	200 (43.9)	105 (35.1)	111 (37.8)	63 (26.3)	<.001
Child is female, n (%)	95 (50.0)	147 (46.2)	146 (51.6)	137 (50.2)	122 (55.2)	.351
Child is CALD, n (%)	30 (15.8)	44 (13.8)	42 (14.8)	41 (15.0)	31 (14.0)	.976
Atypical ^b socio-emotional development at any wave, n (%)	114 (52.3)	239 (52.5)	128 (42.8)	134 (46.2)	99 (42.0)	.015
*Atypical ^b socio-emotional development at wave 1, n (%)	62 (36.3)	106 (36.1)	62 (24.2)	75 (29.5)	54 (25.1)	.005
Atypical ^a vocab development at any age, n (%)	66 (34.6)	160 (37.1)	88 (34.4)	87 (32.2)	71 (34.5)	.233
Care characteristics						
*Relative/kinship care at W1, n (%)	69 (36.3)	124 (39.0)	112 (39.6)	136 (49.8)	157 (71.0)	<.001
Number of placements, M (SD)	3.8 (2.7)	3.5 (2.2)	3.5 (2.1)	3.7 (2.5)	3.1 (2.2)	.767
*Live with sibling at W1, n (%)	82 (43.2)	190 (59.8)	158 (55.8)	169 (61.9)	152 (68.8)	<.001
Birth family contact						
*Face to face sibling contact, n (%)	74 (39.0)	156 (49.1)	148 (52.3)	136 (50.0)	97 (43.9)	.035
*Unsupervised contact with mother at W1, n (%)	1 (1.6)	9 (3.4)	12 (4.8)	29 (10.8)	41 (18.6)	<.001

Child behaviour problems after contact with mother W1 [°] , M (SD)	3.4 (1.3)	3.5 (1.3)	3.3 (1.3)	2.5 (1.5)	2.5 (1.3)	.250
Risk of harm issues prior to first care period						
Physical abuse, n (%)	35 (16.1)	112 (24.6)	64 (21.4)	72 (24.5)	55 (22.9)	.125
Sexual abuse, n (%)	12 (5.5)	19 (4.2)	11 (3.7)	12 (4.1)	7 (2.9)	.717
Neglect, n (%)	64 (29.4)	122 (26.8)	84 (281)	86 (29.3)	55 (22.9)	.475
Emotional abuse, n (%)	23 (10.6)	39 (8.6)	2 (4.0)	28 (9.5)	19 (7.9)	.050
*Domestic violence, n (%)	21 (9.6)	61 (13.4)	40 (13.4)	61 (20.8)	38 (15.8)	.006
*Parent drug/alcohol use, n (%)	155 (71.1)	295 (64.7)	196 (65.6)	213 (72.5)	175 (72.9)	.055
Parent mental health, n (%)	27 (12.4)	46 (10.1)	37 (12.4)	38 (12.9)	42 (17.5)	.096
Child/young people risk, n (%)	0 (0.0)	5 (1.1)	2 (0.7)	4 (1.4)	5 (2.1)	.247
*Prenatal issue, n (%)	2 (0.9)	9 (2.0)	11 (3.7)	4 (1.4)	1 (0.4)	.041
Other, n (%)	1 (0.5)	3 (0.7)	1 (0.3)	0 (0.0)	0 (0.0)	.501
Carer characteristics						
Carer interviewed is female at W1	164 (88.2)	281 (90.1)	260 (92.5)	248 (92.5)	195 (91.6)	.430
*Carer 51+ yrs at W1	69 (37.5)	116 (38.0)	86 (30.9)	108 (40.9)	115 (55.0)	<.001
*Carer had poorer mental health at W1, n (%)	43 (23.5)	84 (27.1)	38 (13.9)	59 (22.4)	54 (26.0)	.002
*Carer excellent/very good general health at W1, n (%)	122 (65.6)	184 (59.0)	200 (71.2)	179 (66.8)	135 (63.7)	.036
Emotional responsiveness at W1, M (SD)	22.1 (2.9)	21.1 (3.8)	21.6 (2.9)	21.8 (3.2)	20.7 (3.7)	.105

CALD = Culturally and linguistically diverse. M = Mean. SD = Standard deviation. Note: percentages are of non-missing data, and may not match column totals ^a indicates that the figure is significantly different from expected. Based on adjusted standardised residuals or postestimation contrasts.*P*values indicate overall difference between groupmembership and each characteristic.

^b Based on the Brief Infant-toddler Socio-Emotional Assessment scores for children aged 12–35 months of age at Wave 1, and the Child Behaviour Checklist (CBCL) for children aged 3–17 years

^cChild behaviour after the most recent contact visit with mother.