Supplemental Material

Ambient Ozone Concentrations and the Risk of Perforated and Nonperforated Appendicitis: A Multicity Case-Crossover Study

Gilaad G Kaplan, Divine Tanyingoh, Elijah Dixon, Markey Johnson, Amanda J. Wheeler, Robert

P. Myers, Stefania Bertazzon, Vineet Saini, Karen Madsen, Subrata Ghosh, and Paul J

Villeneuve

Table of Contents

Page 2 – Supplemental Material, Table S1.

Page 3 - Supplemental Material, Table S2.

Models	Same-Day P-Value Heterogeneity	1-Day Lag P-Value Heterogeneity	3-Day Average P-Value Heterogeneity	5-Day Average P-Value Heterogeneity	7-Day Average P-Value Heterogeneity
All Appendicitis	0.15	0.49	0.46	0.31	0.89
Appendicitis Phenotype					
Nonperforated	0.16	0.37	0.15	0.08	0.35
Perforated	0.58	0.33	0.14	0.23	0.27

Supplemental Material, Table S1. P-values for heterogeneity between 12 cities for the main models.

Supplemental Material, Table S2. Odds ratios (95% CI) based on alternative models of the association between ozone exposures and appendicitis adjusted for temperature and humidity in 12 cities of Canada (2004 – 2008).

			Cumulative Exposure			
Model	Same-Day	1-Day Lag	3-Day Average	5-Day Average	7-Day Average	
Maximum ozone, temperature and	-					
humidity on day of admission ^a						
All Appendicitis	1.00 (0.96, 1.04)	1.03 (1.00, 1.11)	1.03 (0.99, 1.08)	1.04 (0.99, 1.10)	1.07 (1.02, 1.13)	
Appendicitis Phenotype						
Nonperforated	1.00 (0.95, 1.06)	1.01 (0.97,1.05)	1.00 (0.94, 1.06)	0.99 (0.92, 1.07)	1.02 (0.95, 1.09)	
Perforated	0.98 (0.93, 1.04)	1.07 (1.01, 1.14)	1.11 (1.01, 1.23)	1.15 (1.04, 1.27)	1.22 (1.09, 1.36)	
Maximum ozone, temperature and						
humidity during the same period as						
ozone ^a						
All Appendicitis	1.00 (0.96, 1.04)	1.02 (0.99, 1.05)	1.03 (0.99, 1.07)	1.03 (0.97, 1.09)	1.06 (1.00, 1.12)	
Appendicitis Phenotype						
Nonperforated	1.00 (0.96, 1.06)	1.00 (0.96, 1.04)	1.00 (0.94 ,1.07)	0.99 (0.91, 1.07)	1.01 (0.94, 1.08)	
Perforated	0.98 (0.93, 1.04)	1.07 (1.00, 1.14)	1.10 (0.99, 1.21)	1.13 (1.02, 1.27)	1.19 (1.06, 1.35)	
24-hour mean ozone, temperature						
and humidity on day of admission ^a						
All Appendicitis	1.00 (0.97, 1.04)	1.02 (1.00, 1.05)	1.03 (0.99, 1.07)	1.03 (0.99, 1.08)	1.06 (1.02, 1.11)	
Appendicitis Phenotype						
Nonperforated	1.00 (0.96, 1.05)	1.01 (0.97, 1.04)	1.00 (0.95, 1.05)	0.99 (0.93, 1.06)	1.02 (0.96, 1.08)	
Perforated	0.98 (0.94, 1.03)	1.06 (1.01, 1.12)	1.10 (1.01, 1.19)	1.12 (1.03, 1.23)	1.18 (1.07, 1.30)	
10 ppb increase in maximum ozone,						
temperature and humidity on day of						
admission						
All Appendicitis	1.00 (0.98, 1.03)	1.02 (1.00, 1.03)	1.02 (0.99, 1.05)	1.02 (0.99, 1.06)	1.05 (1.01, 1.08)	
Appendicitis Phenotype						
Nonperforated	1.00 (0.97, 1.03)	1.00 (0.98, 1.03)	1.00 (0.96, 1.04)	1.00 (0.95, 1.04)	1.01 (0.97, 1.06)	
Perforated	0.99 (0.95, 1.02)	1.04 (1.01, 1.08)	1.07 (1.01, 1.14)	1.09 (1.02, 1.16)	1.13 (1.05, 1.21)	

^aConditional logistic regression model of the odds of appendicitis in association with a 16 ppb increase in the daily maximum ozone concentration or 24-hour mean ozone adjusted for mean temperature and relative humidity as indicated.

^bConditional logistic regression model of the odds of appendicitis in association with a 10 ppb increase in the daily maximum ozone concentration adjusted for mean temperature and relative humidity on day of admission.