

**Research Bank**

Journal article

**Are three contact efforts really reflective of a repeated high-intensity effort bout?**

**Johnston, Rich D., Gabbett, Tim J., Walker, Shane, Walker, Ben and Jenkins, David G.**

This is a pre-copyedited, author-produced version of an article accepted for publication in *Journal of Strength and Conditioning Research*.

The published version of record Johnston, R. D., Gabbett, T. J., Walker, S., Walker, B. and Jenkins, D. G. (2015). Are three contact efforts really reflective of a repeated high-intensity effort bout? *Journal of Strength and Conditioning Research*, 29(3), pp. 816-821 is available online at: <https://doi.org/10.1519/JSC.0000000000000679>

This work © 2015 is licensed under [Creative Commons Attribution-NonCommercial 4.0 International](https://creativecommons.org/licenses/by-nc/4.0/).

1 RUNNING HEAD: Three Contact Efforts and Physical Performance

2

3 **Are three contact efforts really reflective of a repeated high-intensity effort bout?**

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

1 **ABSTRACT**

2 The use of 3 or more efforts (**running and contact**), separated by short recovery periods, is  
3 widely used to define a ‘repeated high-intensity effort’ (RHIE) bout in rugby league. It has  
4 been suggested that due to fatigue, players become less effective following RHIE bouts;  
5 however, there is little evidence to support this. This study determined if physical  
6 performance is reduced after performing 1, 2, or 3 efforts with minimal recovery. Twelve  
7 semi-professional rugby league players (age  $24.5 \pm 2.9$  years) competed in three ‘off-side’  
8 small-sided games (2 x 10 min halves) with a contact bout performed every 2 min. The rules  
9 of each game were identical except for the number of contact efforts performed in each bout.  
10 Players performed 1, 2, or 3 x 5 s wrestling bouts in the single-, double- and triple-contact  
11 game, respectively. Movement demands **of** each game were monitored using global  
12 positioning system units. From the first to the second half, there were trivial reductions in  
13 relative distance **during** the single-contact game ( $ES = -0.13 \pm 0.12$ ), small reductions **during**  
14 the double-contact game ( $ES = -0.47 \pm 0.24$ ), and moderate reductions **during** the triple-  
15 contact game ( $ES = -0.74 \pm 0.27$ ). The present data show that running intensity is  
16 progressively reduced as the number of contact efforts per bout is increased. Targeting  
17 **defensive** players and forcing them to perform two or more consecutive contact efforts is  
18 likely to lead to greater reductions in running intensity. **Conditioning** performing multiple  
19 contact efforts whilst maintaining running intensity should therefore be incorporated into  
20 training for contact team sports.

21 **KEY WORDS:** Tackles; contact sport; pacing; physical demands

22

23

# 1 INTRODUCTION

2 Rugby league is a collision sport characterized by periods of high- (e.g. sprinting, tackling,  
3 wrestling) and low-intensity (e.g. jogging, walking, standing) activity (12,24). During  
4 competition, players typically cover distances of 90-100 m·min<sup>-1</sup> (12,21,24), including 6-14  
5 m·min<sup>-1</sup> at high-speeds (12,24). In addition to these running demands, players are also  
6 involved in frequent physical collisions involving blunt force trauma as well as wrestling and  
7 grappling efforts. Depending on position, players are involved in 24-47 contact efforts during  
8 a game at an average frequency of 0.38-1.09 per min (11). However, players are often  
9 required to perform contact efforts at a much greater frequency during certain passages of  
10 play. Indeed, the frequency of physical contact is twice as high in defence compared with  
11 attack (1.9 ± 0.7 vs. 0.8 ± 0.3 per min) (13). These collisions and contact efforts are  
12 associated with increased physiological and psychological loads (16), muscle damage  
13 (17,22), upper body fatigue (17), and reductions in running performance (18). **As such,**  
14 **players are required to maintain a sufficient running intensity whilst regularly performing**  
15 **repeated contact efforts and high-intensity running actions.**

16

17 Given the high physiological cost associated with performing contact efforts, coaches often  
18 use tactics that involve targeting a certain defensive player during a period of play, or over an  
19 entire game. This results in the player having to make multiple tackles in quick succession. It  
20 is believed that forcing a player to make 3 consecutive tackles, reduces their effectiveness  
21 during match-play for a certain length of time (9), **most likely due to cumulative fatigue**  
22 **resulting from the repeated contact efforts (16). Early research within the sport of field**  
23 **hockey aimed to quantify the most demanding passages of competition and defined repeated-**  
24 **sprint bouts as 3 or more sprints with less than 21 seconds between each sprint (20). Whilst**

1 this may be adequate for non-contact sports, repeated-sprint bouts overlook the highly  
2 demanding contact efforts that are commonplace in rugby league (16), and therefore  
3 underestimate the worst-case demands of competition. As such, Austin and colleagues  
4 described repeated high-intensity effort (RHIE) bouts (1), which included repeated sprints,  
5 and also contact efforts. Specifically, a RHIE bout was defined as 3 or more contact or high-  
6 speed running efforts with less than 21 seconds between each effort (1). More recently, with  
7 the development of global positioning system (GPS) technology, maximal accelerations have  
8 been integrated into the RHIE definition alongside contact and high-speed running efforts  
9 (12). The evidence in support of 3 RHIE being important to physical performance outcomes  
10 is largely anecdotal (9) and only one study in rugby league has suggested this may be the case  
11 (16). The authors noted that players could only maintain sprint performance for 3 efforts (2  
12 sprints and 1 tackle), during a repeated-effort test, before sprint performance was markedly  
13 impaired (16). However, only amateur players were examined in this study (16), and players  
14 did not perform back-to-back tackles. It may be that 2 back-to-back contact efforts are all that  
15 are required to impair performance, and render a player relatively ineffective. In addition, a  
16 recent study examining the RHIE demands of elite and semi-elite competition highlighted  
17 that the majority of RHIE bouts were comprised of 2 efforts, and semi-elite players  
18 performed a greater proportion of 2 effort bouts compared with their elite counterparts (3). As  
19 such, it appears that performing 2 efforts within a RHIE bout poses considerable physical  
20 demands on players, which may impact on subsequent performance.

21

22 The aim of this study was to compare the influence of 1, 2, or 3 contact efforts in a single  
23 bout on running performance during small-sided games. It was hypothesized that as the  
24 number of contact efforts increased, so too would the reductions in running performance.

1

## 2 **METHODS**

### 3 **Experimental Approach to the Problem**

4 A counter-balanced, cross-over experimental design was used to test our hypothesis. Players  
5 were randomly divided into three groups, and played each small-sided game in a counter-  
6 balanced fashion over a 10 day period separated by at least 72 hours. GPS microtechnology  
7 devices assessed movements during the small-sided games.

### 8 **Subjects**

9 Thirty-six semi-professional rugby league players from the same rugby league club  
10 participated in the study. Twelve of the 36 players (mean  $\pm$  SD age  $24.5 \pm 2.9$  years; body  
11 mass  $90.4 \pm 7.2$  kg) wore GPS units during each game, and these 12 players provided the data  
12 for this study. All data were collected during weeks 4 and 5 of the pre-season period, with  
13 players free from injury. Over the course of the testing period, players were asked to maintain  
14 their normal diet. In accordance with the Code of Ethics of the World Medical Association  
15 (Declaration of Helsinki), players received an information sheet outlining experimental  
16 procedures; written informed consent was obtained from each player. The study was  
17 approved by the University's ethical review board for human research.

18

### 19 **Small-Sided Games with Contact**

20 The three games were 'off-side' small-sided games, regularly used by rugby league coaches  
21 during training. Unlike a regular small-sided rugby game, during 'off-side' games, the ball  
22 can be passed in any direction (i.e. to 'off-side' players). Within each of the three groups,  
23 players were divided into two teams of 6 players, ensuring an even spread of playing

1 positions. Each game consisted of two 10 min halves separated by a 2 min rest interval  
2 played on a grass training pitch in a standardised (30 m x 70 m) playing area. The ‘off-side’  
3 game used the same rules as those reported previously (16) and each team was permitted to  
4 have three ‘plays’ while in possession of the ball. A ‘play’ ended when the player in  
5 possession of the ball was touched by a defender with two hands. The ball was turned over  
6 when the attacking side had completed three ‘plays’, or if an error was committed. Every 2  
7 min of each game, players performed a contact bout (eight contact bouts in total), with  
8 players allowed 5 s to find a partner. The only difference between the three games was the  
9 number of contact efforts in each contact bout. In game 1, players performed a single contact  
10 effort each bout (8 in total); game 2 involved two contact efforts each bout (16 in total); game  
11 3 involved 3 contact efforts each bout (24 in total). From a standing position, one step away  
12 from their partner, players were asked to perform a single shoulder contact, before being  
13 given 5 s to wrestle their partner onto their back. In games 2 and 3 when players performed  
14 multiple contacts, each 5 s contact was separated by 2 s of rest. All players received coaching  
15 on wrestling techniques as part of their training and were familiar with this contact drill.  
16 Similar simulated contacts have shown good reproducibility in rugby league players (16).  
17 After each contact period, the game resumed. Other than the number of contact bouts, there  
18 was no difference in the rules, verbal encouragement, pitch size, player number, or match  
19 duration between games. Due to the varying length of each contact period (single-contact =  
20 10 s [5s to find partner; 1 x 5 s wrestle]; double-contact = 17 s [5s to find partner; 2 x 5 s  
21 wrestle; 1 x 2 s rest]; triple-contact = 24 s [5s to find partner; 3 x 5 s wrestle; 2 x 2 s rest])  
22 only active playing time (less the contact periods) was analyzed; distances covered were  
23 expressed relative to ball in play time.

24

25

## 1 **Time-Motion Analysis**

2 The GPS units sampled at 10 Hz (Team S4, Catapult Sports, VIC, Australia) and included a  
3 100 Hz tri-axial accelerometer and gyroscope to provide information on collisions. Data were  
4 downloaded to a laptop (Acer Aspire 2930, Acer, UK) and subsequently analyzed (Sprint,  
5 Version 5.1.1, Catapult Sports, VIC, Australia). Data were categorized into low-speed  
6 activity ( $0-3.5 \text{ m}\cdot\text{s}^{-1}$ ), moderate-speed running ( $3.6-5.0 \text{ m}\cdot\text{s}^{-1}$ ) and high-speed running ( $\geq 5.1$   
7  $\text{ m}\cdot\text{s}^{-1}$ ) (12). Data were divided into 5 min blocks for analysis in order to determine the  
8 changes in running performance during each game. Player Load™ Slow ( $<2 \text{ m}\cdot\text{s}^{-1}$ ) was used  
9 to determine the load associated with the non-running components (i.e. physical contact) of  
10 the games (4). These units offer valid and reliable estimates of movements common in rugby  
11 league (6,23).

12

## 13 **Statistical Analyses**

14 The practical meaningfulness of any differences in movement demands between the three  
15 games was determined using magnitude based inferences. The likelihood that changes in the  
16 dependent variables were greater than the smallest worthwhile change was calculated as a  
17 small effect size of  $0.20 \times$  the between subject standard deviation. Thresholds used for  
18 assigning qualitative terms to chances were as follows:  $<1\%$  almost certainly not;  $<5\%$  very  
19 unlikely;  $<25\%$  unlikely;  $<50\%$  possibly not;  $>50\%$  possibly;  $>75\%$  likely;  $>95\%$  very likely;  
20  $\geq 99\%$  almost certain (2). The magnitude of difference was considered practically meaningful  
21 when the likelihood was  $\geq 75\%$ . Secondly, magnitudes of change in the dependent variables  
22 were assessed using Cohen's effect size (ES) statistic (5). Effect sizes (ES) of  $0.20-0.60$ ,  
23  $0.61-1.19$ , and  $\geq 1.20$  were considered small, moderate and large respectively (15). Data are  
24 reported as means  $\pm$  95% confidence intervals (CI).

1

## 2 **RESULTS**

3 The differences in playing intensities and distance covered in each speed zone are shown in  
4 Figure 1. During the first half of each game, there was no difference in relative distance (ES  
5 = -0.11 to 0.10), low-speed activity (ES = -0.38 to 0.35), moderate-speed running (ES = -0.20  
6 to 0.24), and high-speed running distance (ES = -0.06 to 0.11) covered. Although not  
7 practically meaningful, Player Load™ Slow (Figure 2) was moderately higher in the first half  
8 of the triple-contact game compared with the single-contact game (ES =  $0.98 \pm 1.0$ ;  
9 likelihood = possibly, 36%)

10 **\*\*\*FIGURE 1 NEAR HERE\*\*\***

11 **\*\*\*FIGURE 2 NEAR HERE\*\*\***

12 During the second half of the game, the relative distance covered was lower in the triple-  
13 contact game compared with the single-contact game (ES =  $-0.40 \pm 0.24$ ; likelihood = likely,  
14 78%); there was little difference between the single- and the double- (ES =  $-0.21 \pm 0.13$ ), or  
15 the double- and triple-contact game (ES =  $-0.17 \pm 0.45$ ). From the first to the second half,  
16 there was a trivial reduction in relative distance in the single-contact game (ES =  $-0.13 \pm$   
17  $0.12$ ; likelihood = possible, 56%), a small reduction in the double-contact game (ES =  $-0.47 \pm$   
18  $0.24$ ; likelihood = likely, 82%), and a moderate reduction in the triple-contact game (ES = -  
19  $0.74 \pm 0.27$ ; likelihood = likely, 88%). There was a moderate increase in low-speed activity  
20 during the second half of the single-contact game (ES =  $0.67 \pm 0.17$ ; likelihood = likely,  
21 90%), and only trivial decreases in the double- (ES =  $-0.05 \pm 0.14$ ) and the triple-contact  
22 game (ES =  $-0.09 \pm 0.12$ ). Low-speed distance during the second half of the single-contact  
23 game was moderately greater than during the triple-contact game (ES =  $0.71 \pm 0.38$ ;

1 likelihood = possibly, 73%). Whilst there were only small reductions in moderate-speed  
2 running in the second half of the single- (ES =  $-0.37 \pm 0.21$ ; likelihood = possibly, 71%) and  
3 double-contact games (ES =  $-0.33 \pm 0.22$ ; likelihood = possibly, 69%), there was a moderate  
4 reduction in the triple-contact game (ES =  $-0.74 \pm 0.24$ ; likelihood = likely, 92%). High-  
5 speed running was maintained between the first and second halves in the double- (ES =  $-0.16$   
6  $\pm 0.72$ ; likelihood = possibly, 51%) and triple-contact games (ES =  $-0.09 \pm 0.61$ ; likelihood =  
7 possibly, 39%), but showed moderate reductions in the single-contact game (ES =  $-0.78 \pm$   
8  $0.32$ ; likelihood = likely, 91%). Player Load™ Slow (Figure 2) was maintained in the second  
9 half of each of the three games (ES =  $-0.09$  to  $0.17$ ). Consistent with the first half, Player  
10 Load™ Slow was greater in the second half of the triple-contact game, compared with the  
11 single-contact game (ES =  $0.72 \pm 0.38$ ; likelihood = possibly, 27%).

12

## 13 **DISCUSSION**

14 The results of this study confirmed our hypothesis and highlight that greater reductions in  
15 running intensity occur as the number of contact efforts performed in a single bout increase.  
16 In addition, it lends support to the classification of RHIE bouts requiring a minimum of 3 or  
17 more efforts. However, it is clear that running intensity reduces progressively as the number  
18 of contact efforts increases. It is likely that performing more contact efforts will lead to  
19 larger, longer lasting reductions in running performance. Players need to be conditioned  
20 appropriately to minimize reductions in running performance whilst affecting multiple  
21 contact efforts in quick succession.

22

1 In the single-contact game, playing intensity was maintained from the first to the second half,  
2 whereas there were small reductions in the double-contact game and moderate reductions in  
3 the triple-contact game. These results highlight that when players are required to perform  
4 multiple contact efforts in quick succession, reductions in running performance do occur.  
5 Although there were small reductions in the double-contact game, the larger reductions  
6 observed in the triple-contact game highlight the cost of performing multiple contact efforts.  
7 As such, targeting defensive players in attack is likely to be advantageous and could  
8 influence match-play in a number of ways. Firstly, fatigue following RHIE exercise causes  
9 reductions in tackling technique in rugby league players (8), which in turn can lead to more  
10 missed and fewer dominant tackles during match-play (7), potentially increasing the number  
11 of points conceded. Secondly, increased fatigue following high-intensity passages of play  
12 results in decreases in the number of involvements with the ball and a reduction in the quality  
13 of skill execution in the subsequent 5 min period (19). This could have important  
14 ramifications if the player who has made numerous consecutive tackles is in a key ball  
15 playing position (e.g. half or hooker). With this in mind, at certain times during match-play,  
16 coaches may benefit from targeting individual defensive players, forcing them to perform 3  
17 or more consecutive tackles, in order to promote defensive errors and minimize their  
18 involvement in any subsequent attack.

19

20 The definition of a RHIE bout originated from the sport of field hockey (20), and has since  
21 been used in rugby league (1,9,10). Despite this, it is unclear whether the use of 3 efforts is  
22 indeed valid when defining a RHIE bout in rugby league. It could well be, that a bout  
23 involving 2 efforts still reflects a demanding passage of play and results in significant fatigue  
24 (14). The present data are in accordance with those of others (16), whereby performing 3  
25 high-intensity efforts in close proximity to one another leads to reductions in running

1 performance. Whilst players can maintain overall running intensity when performing single  
2 contact efforts in a bout, performing double contact efforts results in small reductions in  
3 running performance. Previously, research has only focused on RHIE bouts that include 3 or  
4 more efforts, with players performing in the region of 8-10 bouts over the course of a game  
5 (1,9,10). However, recently it was shown that players perform numerous bouts involving 2  
6 efforts that are physically demanding (3), yet these efforts are not recognized as RHIE bouts  
7 in rugby league (14). Moreover, there are greater reductions in the frequency of RHIE bouts  
8 involving contact between the first and second halves compared with non-contact RHIE bouts  
9 (3), further highlighting the physical performance reductions associated with performing  
10 repeated-contact efforts. With this in mind, coaches should condition players so that they are  
11 capable of performing RHIE bouts with varying numbers of efforts, durations, and activities.  
12 Moreover, it is vital players are physically prepared to perform repeated-contact efforts.

13  
14 Although there was a greater reduction in overall running intensity as the number of contact  
15 efforts increased, there was a difference in the way players either reduced or maintained  
16 match intensity between games. In the single-contact game, there was no reduction in overall  
17 intensity and this was achieved by increasing low-speed activity whilst there were small and  
18 moderate reductions in moderate- and high-speed running, respectively. In the double- and  
19 triple-contact games, the reductions in running intensity were primarily brought about  
20 through reductions in moderate-speed running, with only small reductions in low-speed  
21 activity and high-speed running. Due to the high contact and RHIE demands of rugby league  
22 competition (9), and relatively lower running intensities than those of the current games (12),  
23 it is possible that players were unaccustomed to the large running component of the single-  
24 contact game. As such, players were unable to maintain the initial intensity and reduced high-  
25 speed running distance. The increases in low-speed activity in the second half of the single-

1 contact game could reflect players relying on passes to move the ball, rather than running  
2 efforts. Unfortunately, the number of skill involvements was not assessed in the present  
3 study. The similar activity profiles in the double- and triple-contact games are not surprising  
4 given the repeated contact nature of these two games. The reduction in moderate-speed  
5 running and maintenance of high-speed running and Player Load™ Slow are indicative of a  
6 pacing strategy whereby players reduce non-essential activities so that the essential high-  
7 intensity movements can be maintained (18). Based on this information, it appears that  
8 players modify their activity depending on the proportion of contact and running performed.  
9 As such, players need to be exposed to the appropriate contact and running demands of  
10 competition to obtain sufficient conditioning and allow them to set appropriate pacing  
11 strategies during match-play.

12

13 This study highlights that increasing the number of contacts in a single bout leads to greater  
14 reductions in running intensity. While the findings lend support to the use of 3 efforts to  
15 define a RHIE bout, small reductions in running intensity also occur when players are  
16 required to perform double contact efforts. Future research should aim to compare the  
17 influence of 2, 3, and 4 efforts on both running performance and skill outcomes between  
18 different playing standards. In addition, this study only assessed the influence of repeated  
19 contact efforts. Future research should investigate the influence high-intensity running efforts  
20 and a combination of running and contact efforts have on subsequent game intensity. A  
21 limitation of the present study was the use of ‘off-side’ games as opposed to the ‘on-side’  
22 nature of rugby league match-play. Future research should assess the influence of RHIE  
23 bouts on running performance during ‘on-side’ games. In addition, due to the stochastic  
24 nature of the games, players may have performed high-intensity running efforts immediately

1 preceding or following the contact bouts which may have led to further decrements in  
2 running performance.

3

#### 4 **PRACTICAL APPLICATIONS**

5 There are a number of practical applications from this study that are useful to rugby league  
6 coaching and support staff. Firstly, targeting players in attack, forcing them to perform two or  
7 more consecutive contact efforts is likely to lead to greater reductions in running intensity  
8 and potentially tackling technique and skill involvements. Although the greatest reductions in  
9 running intensity occurred during the triple-contact game, players still need to be prepared for  
10 the various contact and running demands of competition. Double effort RHIE bouts are  
11 physically demanding for players and such bouts should be incorporated into conditioning  
12 drills.

13

#### 14 **ACKNOWLEDGEMENTS**

15 The authors would like to thank the players and staff of the Ipswich Jets Rugby League Club  
16 for volunteering to participate in the study. No sources of funding were used to carry out this  
17 research.

18

19

20

1 **FIGURE LEGENDS**

2 Figure 1. Relative distance (A), low-speed activity (0-3.5 m·s<sup>-1</sup>) (B), moderate-speed running  
3 (3.6-5.0 m·s<sup>-1</sup>) (C), and high-speed running (≥5.1 m·s<sup>-1</sup>) (D) during the first and second half  
4 of the single, double, and triple-contact games. \* Denotes a moderate effect size difference.  
5 Data are presented as means ± SD.

6

7 Figure 2. Player Load™ Slow during the first and second half of the single, double, and  
8 triple-contact games. \* Denotes a moderate effect size difference. Data are presented as  
9 means ± SD.

10

11

12

13

14

15

16

17

18

19

20

## 1 REFERENCES

- 2 1. [Austin DJ, Gabbett TJ, and Jenkins DJ. Repeated high-intensity exercise in a professional](#)  
3 [rugby league. \*J Strength Cond Res\* 25: 1898-1904, 2011.](#)
- 4 2. [Batterham AM and Hopkins WG. Making meaningful inferences about magnitudes. \*Int J\*](#)  
5 [\*Sports Physiol Perform\* 1: 50-57, 2006.](#)
- 6 3. [Black GM and Gabbett TJ. Repeated high-intensity effort activity in elite and semi-elite](#)  
7 [rugby league match-play. \*Int J Sports Physiol Perform\*, 2014.](#)
- 8 4. [Boyd LJ, Ball K, and Aughey RJ. Quantifying external load in Australian football matches](#)  
9 [and training using accelerometers. \*Int J Sports Physiol Perform\* 8: 44-51, 2013.](#)
- 10 5. [Cohen J. \*Statistical power analysis for the behavioral sciences \(rev. ed.\)\*. Hillsdale, NJ,](#)  
11 [England: Lawrence Erlbaum Associates, Inc, 1977.](#)
- 12 6. [Gabbett T, Jenkins D, and Abernethy B. Physical collisions and injury during professional](#)  
13 [rugby league skills training. \*J Sci Med Sport\* 13: 578-583, 2010.](#)
- 14 7. [Gabbett T and Ryan P. Tackling technique, injury risk, and playing performance in high-](#)  
15 [performance collision sport athletes. \*Int J Sports Sci Coaching\* 4: 521-533, 2009.](#)
- 16 8. [Gabbett TJ. Influence of fatigue on tackling technique in rugby league players. \*J Strength\*](#)  
17 [\*Cond Res\* 22: 625-632, 2008.](#)
- 18 9. [Gabbett TJ. Sprinting patterns of National Rugby League competition. \*J Strength Cond Res\*](#)  
19 [26: 121-130, 2012.](#)
- 20 10. [Gabbett TJ. Influence of playing standard on the physical demands of professional rugby](#)  
21 [league. \*J Sports Sci\* 31: 1125-1138, 2013.](#)
- 22 11. [Gabbett TJ, Jenkins DG, and Abernethy B. Physical collisions and injury in professional](#)  
23 [rugby league match-play. \*J Sci Med Sport\* 14: 210-215, 2011.](#)
- 24 12. [Gabbett TJ, Jenkins DG, and Abernethy B. Physical demands of professional rugby league](#)  
25 [training and competition using microtechnology. \*J Sci Med Sport\* 15: 80-86, 2012.](#)
- 26 13. [Gabbett TJ, Polley C, Dwyer DB, Kearney S, and Corvo A. Influence of field position and](#)  
27 [phase of play on the physical demands of match-play in professional rugby league forwards,](#)  
28 [in: \*J Sci Med Sport\*. 2013.](#)
- 29 14. [Gabbett TJ, Wiig H, and Spencer M. Repeated high-intensity running and sprinting in elite](#)  
30 [women's soccer competition. \*Int J Sports Physiol Perform\* 8: 130-138, 2013.](#)
- 31 15. [Hopkins WG, Marshall SW, Batterham AM, and Hanin J. Progressive statistics for studies in](#)  
32 [sports medicine and exercise science. \*Med Sci Sports Exerc\* 41: 3-13, 2009.](#)
- 33 16. [Johnston RD and Gabbett TJ. Repeated-sprint and effort ability in rugby league players. \*J\*](#)  
34 [\*Strength Cond Res\* 25: 2789-2795, 2011.](#)
- 35 17. [Johnston RD, Gabbett TJ, Seibold AJ, and Jenkins DG. Influence of physical contact on](#)  
36 [neuromuscular fatigue and markers of muscle damage following small-sided games, in: \*J Sci\*](#)  
37 [\*Med Sport\*. 2013.](#)
- 38 18. [Johnston RD, Gabbett TJ, Seibold AJ, and Jenkins DG. Influence of Physical Contact on](#)  
39 [Pacing Strategies During Game-Based Activities. \*Int J Sports Physiol Perform\*](#)  
40 [10.1123/ijssp.2013-0424, 2014.](#)
- 41 19. [Kempton T, Sirotic AC, Cameron M, and Coutts AJ. Match-related fatigue reduces physical](#)  
42 [and technical performance during elite rugby league match-play: a case study, in: \*J Sports\*](#)  
43 [\*Sci\*. 2013.](#)
- 44 20. [Spencer M, Lawrence S, Rechichi C, Bishop D, Dawson B, and Goodman C. Time-motion](#)  
45 [analysis of elite field hockey, with special reference to repeated-sprint activity. \*J Sports Sci\*](#)  
46 [22: 843-850, 2004.](#)
- 47 21. [Sykes D, Twist C, Nicholas C, and Lamb K. Changes in locomotive rates during senior elite](#)  
48 [rugby league matches. \*J Sports Sci\* 29: 1263-1271, 2011.](#)
- 49 22. [Twist C, Waldron M, Highton J, Burt D, and Daniels M. Neuromuscular, biochemical and](#)  
50 [perceptual post-match fatigue in professional rugby league forwards and backs. \*J Sports Sci\*](#)  
51 [30: 359-367, 2012.](#)

- 1 23. [Varley MC, Fairweather IH, and Aughey RJ. Validity and reliability of GPS for measuring](#)  
2 [instantaneous velocity during acceleration, deceleration, and constant motion. \*J Sports Sci\* 30:](#)  
3 [121-127, 2012.](#)
- 4 24. [Waldron M, Twist C, Highton J, Worsfold P, and Daniels M. Movement and physiological](#)  
5 [match demands of elite rugby league using portable global positioning systems. \*J Sports Sci\*](#)  
6 [29: 1223-1230, 2011.](#)

7

8